









The low VOC emission and extremely low odor of PrismTM allow occupants to move in without delay. Spaces will stay occupied with minimal interruption thanks to the immediate post-install access for light traffic of PrismTM.



PRISM™ PETAILS

PERFECTLY FORMULATED FOR A DURABLE INSTALLATION AND EASY REPAIRS

- ✓ Aggressive Tack, Fast Grab
- Contributes to LEED Certification
- ✓ Plasticizer Migration Resistance
- ✓ Low VOC, Extremely Low Odor
- ✓ Immediate Access for Light Traffic
- Elastomeric Bond



COLORCHANGE™ TECHNOLOGY



WATERPROOF AND ANTIMICROBIAL



FIRM-SET FOR EASY REPAIRS

30-60 mins Flash Time

12 hrs Cure Time

24 hrs Heavy Traffic **48 hrs** Rolling Loads

REQUIRED TOOLS



U-Notch Trowel

For Non-Porous Substrates Coverage: ~ 220-260 sqft/gal



Square-Notch Trowel

For Porous Substrates Coverage: ~ 150-180 sqft/gal



75 lb Floor RollerFor Rolling and Cross-Rolling a Complete Installation

REMEMBER TO PRIME WITH TRILOGY™ FOR OPTIMAL PRISM™ PERFORMANCE

Together, Prism[™] and Trilogy[™] create an unrivaled adhesive bond. Trilogy[™] Multipurpose Primer allows Prism[™] to maximize its subfloor grip. Trilogy[™] also provides encapsulation or up to 95% moisture protection (not simultaneously).



COVER THE WHOLE SPECTRUM WITH PRISMTM

FIRM-SET ADHESIVE ALLOWS FOR EASY REPAIRS

When flooring repairs are needed, Prism™ saves you time and money with its firm set yet releasable formulation, allowing for easy plank removal and replacement.

PERFECTLY FORMULATED, QUICK, AND DURABLE

The aggressive tack and fast grab of Prism™ will hold flooring tightly. With superior plasticizer migration resistance and elastomeric properties, Prism™ is the right choice for residential flooring.



EXPLORE ALL OF THE URBAN ESSENTIALS™

Start to finish, the Urban EssentialsTM line contains everything needed for the perfect flooring installation.

(800) 492-8722 | Info@UrbanSurfaces.com | 2380 Railroad Street, Bldg 101, Corona, CA 92878